




HIV AMONG MSM IN MARYLAND, 2013


MAY 2015

New HIV Diagnoses

- Of the **1,395** reported adult/adolescent HIV diagnoses (age 13+) in Maryland in 2013, **53.0%** of those with a reported exposure were among **Men who have Sex with Men (MSM)** and **1.6%** were among **Men who have Sex with Men and Inject Drugs (MSM/IDU)**.
- Of the **990 male** HIV diagnoses in 2013 in Maryland, **69.3%** of those with a reported exposure were **MSM** and **2.1%** were **MSM/IDU**.
- Of the **634 male** AIDS diagnoses, **59.3%** of those with an exposure were **MSM** and **3.1%** were **MSM/IDU**.




- The proportion of HIV diagnoses in Maryland that were among **MSM** has steadily **increased** over the past 10 years.



Characteristics of MSM Living with HIV

Race/Ethnicity

- 62.4% NH Black**
- 26.6% NH White
- 5.9% Hispanic
- 5.0% NH Other



Current Age Groups

- 26.6% 40's**
- 24.3% 50's
- 20.3% 30's
- 19.1% 20's
- 9.1% 60+
- 0.6% Teens

- Of the **22,812** total living HIV cases (diagnosed age 13+) as of 12/31/2013 in Maryland with a reported exposure, **33.9% (7,729)** were among **MSM** and **3.4% (771)** were among **MSM/IDU**.

- Of the total living **male** HIV cases in Maryland with a reported exposure as of 2013, **50.4%** were among **MSM** and **5.0%** were among **MSM/IDU**.
- Of the total living HIV cases in Maryland among MSM at the time of diagnosis, **62.4%** were **non-Hispanic black** and **38.9%** were men **in their 20's**.
- Of the **7,729** total living HIV cases among MSM in Maryland, about half (**53.9%**) had a **viral load test** result reported in 2013. Of those **4,164** with a reported test result, **72.9%** had a **suppressed viral load**.

MSM: Men who have Sex with Men | **HET:** Heterosexual Exposure | **IDU:** Injection Drug User